





Il suo nome premette già la funzionalità del prodotto.
ENOSI, in greco significa Unione. I suoi elementi nascono per essere pronti a più funzioni.
Cambiamenti rapidi che assicurano la prontezza degli interventi.
Riunirsi per comprendere e conoscere.

The name itself conveys the idea of a functional product. In Greek ENOSI means Union.
Its elements have been designed to perform several different functions.
Rapid changes ensure immediate intervention.
Coming together to learn and understand.



Elegante ma non statica

Elegant but not static

ENOSI nasce dall'attuale modello di dirigenza: elegante ma non statica, efficiente e rappresentativa, sempre dinamica.

La sua modularità, i materiali, il design fanno di ENOSI la soluzione più attuale e contemporanea per il mondo del lavoro, impegnato oggi in una ridefinizione dei modelli e delle abitudini consolidate.

ENOSI has been created with the modern idea of leadership in mind : elegant but not static, efficient and representative, ever dynamic. Thanks to its modularity, materials and design ENOSI is the most up-to-date, contemporary line of furniture for the working environment of today, geared towards redefining models and conventional habits.



Massima operatività degli spazi

Maximizing the working space

ENOSI si adatta alle esigenze e al gusto di chi trasforma e vive il proprio ufficio proponendo moltissime possibilità di assemblaggio con un forte orientamento al design e con particolare attenzione alle finiture.

Tutto completato da accessori che consentono la massima operatività degli spazi.

ENOSI suits all the needs and tastes of those who wish to transform and make the most of their own office, offering many possible configurations while maintaining a strong focus on design and paying particular attention to finishes. This is all complemented by several accessories that allow maximum use of the working space.



Sintesi perfetta *The Perfect Union*

ENOSI racchiude una attenta organizzazione degli spazi di contenimento, con mobili ampi e funzionali oppure con cassetti attrezzati salvaspazio. Rappresenta la sintesi perfetta tra estetica, funzionalità e versatilità nell'ufficio contemporaneo.

ENOSI includes a carefully organised line of storage solutions, with spacious, functional cabinets or space-saving, accessorized drawers. Being visually pleasing as well as practical and versatile it represents the perfect combination of the key features of any modern working environment.



Facilitare la condivisione delle informazioni Promoting the exchange of information

ENOSI risolve ogni situazione del mondo ufficio esprimendo un'identità originale anche nella sala riunioni, con tavoli solidi disponibili in molteplici dimensioni resi prestigiosi dalla vasta gamma di tonalità e finiture.

ENOSI is the solution for any issue in the working environment, having been designed to have an innovative identity even in the conference room. Solid tables of different sizes are even more prestigious thanks to a wide range of shades and finishes available.



Finiture finishes

TOP
top
FIANCHI
side panels
FRONTALI
fronts



FRONTALI
fronts

cristallo
crystal



STRUTTURA INTERNA
internal structure



ELEMENTO LIBRERIA
modular unit



PIANI
top


legno
wood



cristallo
crystal



STRUTTURA
structure



STRUTTURA INTERNA
internal structure



PIEDINI REGOLATORI
adjustable feet














FRONTALI
fronts



TOP
top
FIANCHI
side panels
FRONTALI
fronts





DESCRIZIONE TECNICA

SCRIVANIE DIREZIONALI, ALLUNGHE E TAVOLI RIUNIONE

Piani di lavoro disponibili in 2 tipologie:
 A) RIVESTITI CON FOGLIA POLIMERICA EFFETTO LEGNO (H.D.P.C. = High Density Polyvinyl Chloride)
 B) IN CRISTALLO TEMPERATO RETRO-LACCATO
 Tipologia A)
 Piano spessore totale mm 30 realizzato con pannello di fibra di legno MDF rivestito con foglia polimerica termoformabile (H.D.P.C.) disponibile nei colori: NOCE ITALIA 29, NOCE PACIFIC 37, WENGÉ 45, ROVERE AFRO 61, BIANCO BR. 69, ACERO 91. Top e fianchi finali hanno spessore mm 12, le ante mm 18.
 Le ante non presentano maniglia in quanto sono dotate di sistema premi-apri. Tutte le cerniere sono del tipo con ala e scatola metallica con 3 campi di regolazione.
 Le composizioni di mobili possono essere integrate con un elemento-libreria aperto realizzato con sistema folding in MDF di spessore mm 12 e laccato nei colori BIANCO, NERO, ROSSO e VERDE. Le dimensioni di tale elemento sono L. 90 x p. 46,3 x H. 45.

Tipologia B)
 Piano in cristallo temperato retro-laccato, spessore mm 12, bordi perimetrali lavorati a filo lucido piatto, disponibili nei colori: NERO 10, ROSSO RUBINO 74, VERDE PISTACCHIO 75 E BIANCO EXTRA 78.
 I piani in cristallo sono ancorati alla struttura tramite incollaggio su supporti torniti in acciaio inox.
 Gambe di sostegno
 In tubo conificato da mm 1,5 di spessore disponibili in due versioni: - versione verniciata, nei colori: BIANCO (BI 02) e NERO (NR 02) - versione CROMATA, LUCIDA.
 Entrambe le tipologie hanno piedini livellatori presso-fusi in lega metallica cromata, con campo di regolazione di mm 20.
 Telai strutturali
 In tubolare metallico a sezione rettangolare 50 x 25 sp. mm.1,5, assemblati alle gambe tramite viti di fissaggio.
 Modesty panel
 Realizzati con pannello di fibra di legno (MDF) sp. mm 18 rivestito su un lato con foglia polimerica termoformabile (H.D.P.C.), disponibile nei colori: ALLUMINIO MILLERIGHE, NOCE ITALIA 29, NOCE PACIFIC 37, WENGÉ 45, ROVERE AFRO 61, BIANCO BR. 69, ACERO 91. Sono ancorati al telaio strutturale mediante staffe di sostegno.

CASSETTIERE E MOBILI DI SERVIZIO
 Cassettiere e mobili di servizio sono costituiti da una struttura primaria interna realizzata con pannelli di particelle di legno composite decorate sp. mm 18 di colore BIANCO BR. 69, e da una parte esterna di finitura costituita da fianchi finali, basi, top, pannello posteriore.
 Le componenti della parte esterna sono realizzate con pannelli di fibra di legno MDF rivestiti con foglia polimerica termoformabile (H.D.P.C.) disponibili nei colori: NOCE ITALIA 29, NOCE PACIFIC 37, WENGÉ 45, ROVERE AFRO 61, BIANCO BR. 69, ACERO 91.
 Cassettiere e mobili di servizio, sono dotati di ruote pivotanti gemellate in nylon rivestito in gomma, con perno di supporto e rivestimento laterale cromato, freno stabilizzatore per le ruote anteriori.
 I mobili di servizio vengono realizzati anche su piedini livellatori metallici e vengono utilizzati anche come basamento delle scrivanie. La struttura dei cassetti è costituita da spondine e fondo in fibra rivestiti in pvc bianco che scorrono su guide metalliche con cuscinetti in nylon dotati di fine corsa in apertura e self-closing in chiusura. L'apertura è senza maniglia perché le guide sono dotate di sistema premi-apri.
 Le cassettiere ed i mobili di servizio su ruote sono dotati di portacancelleria estraibile posizionato all'interno del cassetto superiore, realizzato in MDF rivestito con foglia polimerica termoformabile (H.D.P.C.) con scomparti per I-PAD e telefoni cellulari.

IMBALLO
 Tutti i componenti sono forniti smontati ed imballati con involucro pieghevole in cartone triplo, listelli di protezione perimetrale e per i riempimenti ove occorre. Gli angoli sono protetti, ove occorre, con parasigoli anti-urto. La chiusura dell'imballo avviene mediante nastro adesivo e reggetta in nylon termosaldata.
 Le cassettiere sono fornite montate, protette sui lati con angolari in cartone ed imballate con foglia di polietilene termoretraibile.

TECHNICAL DESCRIPTION

EXECUTIVE DESKS, EXTENSIONS AND MEETING TABLES

The work top is available in two constructive types:
 A) COVERED WITH A WOODEN EFFECT POLYMERIC SHEET (H.D.P.C. = High Density Polyvinyl Chloride)
 B) IN TOUGHENED GLASS REAR-LACQUERED
 Type A)
 Total thickness of the work top 30mm, made from an MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.), available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 The structure is made from 18 mm thick decorated wood based panels and only available in BR. WHITE 69, perimetally finished with melamine edge of 0.4 mm thick in the same colour as the surface and fitted with leveller feet.
 Internal drawers made of fibreboard covered with black PVC that slide on metal glides with nylon bearings, with drawer opening stopper and self-closing system. The opening is no handle because the guides are equipped with push-open system.
 The pedestals and service units on wheels are equipped of internal stationary-tray.
 The pedestals and service units on wheels are fitted with pull-out stationary holder placed inside the upper drawer, made of MDF covered with thermoformed polymeric sheet (HDPC) with compartments for I-PAD and mobile phones.

Supporting legs
 Made from a 1,5 mm thick coned tube, available in 2 version: - painted version in colours: WHITE (BI 02) and BLACK (NR 02) - shiny chromed version.
 Both versions are equipped with die-cast levelling feet made from a chromed steel alloy, with a regulation of 20 mm.
 Structural beams are made from rectangular steel tubes 50x25, 1,5 mm thick, which are fixed to the conical supporting legs by screws.
 Modesty panel
 Made from 18mm thick MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.). Available in the colour ALUMINIUM STRIPED EFFECT 00, ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91. They are suspended from the structural beams using supporting brackets.

PEDESTALS AND SERVICE UNITS
 Pedestals and service units are made from an internal primary structure with 18 mm thick decorated wood based panels in an BR. WHITE 69 colour and an external finishing part made from finishing side panels, bases, top and back panel.
 The components of the external finishing part are made from an MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.) available in colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 Pedestals and service units are fitted with prouetting nylon wheels covered in rubber with a supporting pin and a chromed side finish, with a stabilizer brake for the front wheels.
 Internal drawers made of fibreboard covered with white PVC that slide on metal glides with nylon bearings, with drawer opening stopper and self-closing system. The opening is no handle because the guides are equipped with push-open system.
 The pedestals and service units on wheels are equipped of internal stationary-tray.
 The pedestals and service units on wheels are fitted with pull-out stationary holder placed inside the upper drawer, made of MDF covered with thermoformed polymeric sheet (HDPC) with compartments for I-PAD and mobile phones.

BASE, FINISHING TOPS AND FINAL SIDE PANELS
 They are made with MDF type fibreboard panels of 12 mm thick covered with a thermoformed polymeric sheet available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 The components are disassembled and packed when supplied, and have paper triple type folding packaging, fillets for the perimetrical protection and for the fillings up, where needed. The corners are protected, where needed, through shock resistant edges protector. The packing closure occurs through sticky tape and welded nylon strap. Pedestals are assembled, when supplied, protected through polystyrene angle bars on the sides and packed using thermo-retractable polyethylene leave when provided.

PACKAGING

All the components are disassembled and packed when supplied, and have paper triple type folding packaging, fillets for the perimetrical protection and for the fillings up, where needed. The corners are protected, where needed, through shock resistant edges protector. The packing closure occurs through sticky tape and welded nylon strap. Pedestals are assembled, when supplied, protected through polystyrene angle bars on the sides and packed using thermo-retractable polyethylene leave when provided.

MODULAR UNITS

The cabinets are made up of the following elements:
 Structure of modular unit with doors or drawers, adjustable base, finishing top, finishing side panels.
 The modular units are available in widths of w 45/90 x h 45 cms assemblable and overlapping so as to create various compositions of furniture of various sizes and to be finished always with structural base, final side panels and finish top.
 The structure of modular units is made from 18mm thick decorated wood based panels and only available in BR. WHITE 69.
 The base is made from 30mm thick wooden fibre panel covered with a thermoformed polymeric sheet available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91. The base is fitted with levelling feet.
 The top, final side panels and the doors are made from an MDF wooden fibre panel (12mm thick for top and final side panels, 18 mm thick. for doors) covered with a thermoformed polymeric sheet

TECHNICAL DESCRIPTION

EXECUTIVE DESKS, EXTENSIONS AND MEETING TABLES

The work top is available in two constructive types:
 A) COVERED WITH A WOODEN EFFECT POLYMERIC SHEET (H.D.P.C. = High Density Polyvinyl Chloride)
 B) IN TOUGHENED GLASS REAR-LACQUERED
 Type A)
 Total thickness of the work top 30mm, made from an MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.), available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 The structure is made from 18 mm thick decorated wood based panels and only available in BR. WHITE 69, perimetally finished with melamine edge of 0.4 mm thick in the same colour as the surface and fitted with leveller feet.
 Internal drawers made of fibreboard covered with black PVC that slide on metal glides with nylon bearings, with drawer opening stopper and soft-closing system.
 The doors and the frontals of drawers are made from 18 mm thick wooden fibre panel covered with a thermoformed polymeric sheet available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91. The low and medium wooden doors are fitted with sliding bar locks, the high doors are fitted with a rotating rod lock with 2 locking points.
 The glazed doors are without handle, with lock, with anodised aluminium perimeter hidden frame and 4 mm tempered glass rear-lacquered in colours: BLACK 10, RUBY RED 74, PISTACCHIO 75, EXTRA WHITE 78.
 All the wooden doors are finished with damping system for soft-closing. The handles are made of metal with a chrome finish.
 The cabinets are always complete with base+top finish + final sides panels.

Supporting legs
 Made from a 1,5 mm thick coned tube, available in 2 version: - painted version in colours: WHITE (BI 02) and BLACK (NR 02) - shiny chromed version.
 Both versions are equipped with die-cast levelling feet made from a chromed steel alloy, with a regulation of 20 mm.
 Structural beams are made from rectangular steel tubes 50x25, 1,5 mm thick, which are fixed to the conical supporting legs by screws.
 Modesty panel
 Made from 18mm thick MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.). Available in the colour ALUMINIUM STRIPED EFFECT 00, ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91. They are suspended from the structural beams using supporting brackets.

PEDESTALS AND SERVICE UNITS
 Pedestals and service units are made from an internal primary structure with 18 mm thick decorated wood based panels in an BR. WHITE 69 colour and an external finishing part made from finishing side panels, bases, top and back panel.
 The components of the external finishing part are made from an MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.) available in colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 Pedestals and service units are fitted with prouetting nylon wheels covered in rubber with a supporting pin and a chromed side finish, with a stabilizer brake for the front wheels.
 Internal drawers made of fibreboard covered with white PVC that slide on metal glides with nylon bearings, with drawer opening stopper and self-closing system. The opening is no handle because the guides are equipped with push-open system.
 The pedestals and service units on wheels are equipped of internal stationary-tray.
 The pedestals and service units on wheels are fitted with pull-out stationary holder placed inside the upper drawer, made of MDF covered with thermoformed polymeric sheet (HDPC) with compartments for I-PAD and mobile phones.

BASE, FINISHING TOPS AND FINAL SIDE PANELS

They are made with MDF type fibreboard panels of 12 mm thick covered with a thermoformed polymeric sheet available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 The components are disassembled and packed when supplied, and have paper triple type folding packaging, fillets for the perimetrical protection and for the fillings up, where needed. The corners are protected, where needed, through shock resistant edges protector. The packing closure occurs through sticky tape and welded nylon strap. Pedestals are assembled, when supplied, protected through polystyrene angle bars on the sides and packed using thermo-retractable polyethylene leave when provided.

PACKAGING

All the components are disassembled and packed when supplied, and have paper triple type folding packaging, fillets for the perimetrical protection and for the fillings up, where needed. The corners are protected, where needed, through shock resistant edges protector. The packing closure occurs through sticky tape and welded nylon strap. Pedestals are assembled, when supplied, protected through polystyrene angle bars on the sides and packed using thermo-retractable polyethylene leave when provided.

MODULAR UNITS

The cabinets are made up of the following elements:
 Structure of modular unit with doors or drawers, adjustable base, finishing top, finishing side panels.
 The modular units are available in widths of w 45/90 x h 45 cms assemblable and overlapping so as to create various compositions of furniture of various sizes and to be finished always with structural base, final side panels and finish top.
 The structure of modular units is made from 18mm thick decorated wood based panels and only available in BR. WHITE 69.
 The base is made from 30mm thick wooden fibre panel covered with a thermoformed polymeric sheet available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91. The base is fitted with levelling feet.
 The top, final side panels and the doors are made from an MDF wooden fibre panel (12mm thick for top and final side panels, 18 mm thick. for doors) covered with a thermoformed polymeric sheet

TECHNICAL DESCRIPTION

EXECUTIVE DESKS, EXTENSIONS AND MEETING TABLES

The work top is available in two constructive types:
 A) COVERED WITH A WOODEN EFFECT POLYMERIC SHEET (H.D.P.C. = High Density Polyvinyl Chloride)
 B) IN TOUGHENED GLASS REAR-LACQUERED
 Type A)
 Total thickness of the work top 30mm, made from an MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.), available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 The structure is made from 18 mm thick decorated wood based panels and only available in BR. WHITE 69, perimetally finished with melamine edge of 0.4 mm thick in the same colour as the surface and fitted with leveller feet.
 Internal drawers made of fibreboard covered with black PVC that slide on metal glides with nylon bearings, with drawer opening stopper and soft-closing system.
 The doors and the frontals of drawers are made from 18 mm thick wooden fibre panel covered with a thermoformed polymeric sheet available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91. The low and medium wooden doors are fitted with sliding bar locks, the high doors are fitted with a rotating rod lock with 2 locking points.
 The glazed doors are without handle, with lock, with anodised aluminium perimeter hidden frame and 4 mm tempered glass rear-lacquered in colours: BLACK 10, RUBY RED 74, PISTACCHIO 75, EXTRA WHITE 78.
 All the wooden doors are finished with damping system for soft-closing. The handles are made of metal with a chrome finish.
 The cabinets are always complete with base+top finish + final sides panels.

Supporting legs
 Made from a 1,5 mm thick coned tube, available in 2 version: - painted version in colours: WHITE (BI 02) and BLACK (NR 02) - shiny chromed version.
 Both versions are equipped with die-cast levelling feet made from a chromed steel alloy, with a regulation of 20 mm.
 Structural beams are made from rectangular steel tubes 50x25, 1,5 mm thick, which are fixed to the conical supporting legs by screws.
 Modesty panel
 Made from 18mm thick MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.). Available in the colour ALUMINIUM STRIPED EFFECT 00, ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91. They are suspended from the structural beams using supporting brackets.

PEDESTALS AND SERVICE UNITS
 Pedestals and service units are made from an internal primary structure with 18 mm thick decorated wood based panels in an BR. WHITE 69 colour and an external finishing part made from finishing side panels, bases, top and back panel.
 The components of the external finishing part are made from an MDF wooden fibre panel covered with a thermoformed polymeric sheet (H.D.P.C.) available in colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 Pedestals and service units are fitted with prouetting nylon wheels covered in rubber with a supporting pin and a chromed side finish, with a stabilizer brake for the front wheels.
 Internal drawers made of fibreboard covered with white PVC that slide on metal glides with nylon bearings, with drawer opening stopper and self-closing system. The opening is no handle because the guides are equipped with push-open system.
 The pedestals and service units on wheels are equipped of internal stationary-tray.
 The pedestals and service units on wheels are fitted with pull-out stationary holder placed inside the upper drawer, made of MDF covered with thermoformed polymeric sheet (HDPC) with compartments for I-PAD and mobile phones.

BASE, FINISHING TOPS AND FINAL SIDE PANELS

They are made with MDF type fibreboard panels of 12 mm thick covered with a thermoformed polymeric sheet available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91.
 The components are disassembled and packed when supplied, and have paper triple type folding packaging, fillets for the perimetrical protection and for the fillings up, where needed. The corners are protected, where needed, through shock resistant edges protector. The packing closure occurs through sticky tape and welded nylon strap. Pedestals are assembled, when supplied, protected through polystyrene angle bars on the sides and packed using thermo-retractable polyethylene leave when provided.

PACKAGING

All the components are disassembled and packed when supplied, and have paper triple type folding packaging, fillets for the perimetrical protection and for the fillings up, where needed. The corners are protected, where needed, through shock resistant edges protector. The packing closure occurs through sticky tape and welded nylon strap. Pedestals are assembled, when supplied, protected through polystyrene angle bars on the sides and packed using thermo-retractable polyethylene leave when provided.

MODULAR UNITS

The cabinets are made up of the following elements:
 Structure of modular unit with doors or drawers, adjustable base, finishing top, finishing side panels.
 The modular units are available in widths of w 45/90 x h 45 cms assemblable and overlapping so as to create various compositions of furniture of various sizes and to be finished always with structural base, final side panels and finish top.
 The structure of modular units is made from 18mm thick decorated wood based panels and only available in BR. WHITE 69.
 The base is made from 30mm thick wooden fibre panel covered with a thermoformed polymeric sheet available in the colours: ITALY WALNUT 29, PACIFIC WALNUT 37, WENGÉ 45, AFRICAN OAK 61, BR. WHITE 69, MAPLE 91. The base is fitted with levelling feet.
 The top, final side panels and the doors are made from an MDF wooden fibre panel (12mm thick for top and final side panels, 18 mm thick. for doors) covered with a thermoformed polymeric sheet



cod. 10000645 - 03/2015



ENOSI® *EVO*

rivenditore autorizzato / authorized dealer



Las Mobili S.r.l.

Via dell'Industria, n°81
64018 Tortoreto (TE) - ITALY
Tel. +39 0861 7831
Fax +39 0861 786851
e-mail: las@las.it
www.las.it

MADE IN ITALY

